

Please amend the following claims as shown below:

SUB
C1
B1

1. (Twice Amended) A digital imaging system [for] capable of correlating processing data and [information] image data, said digital imaging system comprising:

a capturing device for [gathering] receiving said [information] image data and said processing data

a manager device coupled to said capturing device for building a data cell containing said processing data and for linking said data cell to said [information] image data, wherein said processing data includes settings of said capturing device at image capture time; and

a processing device coupled to said capturing device for processing said [information] image data using [specified elements] said processing data within said data cell.

2. (Once amended) The digital imaging system of Claim 1 wherein said manager device [deletes] is operable for deleting a selected portion of said processing data from said data cell after said processing device has finished processing said [information] image data.

B2

⁴/₃ 3. (Once amended) The digital imaging system of Claim 1 wherein said manager device [makes] is operable for making a copy of said data cell and [appends] for appending said copy of said data cell to said [information] image data.

⁵/₄ 4. (Once amended) The digital imaging system of Claim ^y/₃ wherein said manager device [rebuilds] is operable for rebuilding said data cell after a

disruptive event using said copy of said data cell appended to said [information] image data.

B2
Concl.

3
5 (Once amended) The digital imaging system of Claim 2 wherein said processing device [stores] is operable for storing said [information] image data into a memory device after [deleting] said manager device has deleted said selected portion of said processing data from said data cell.

SUB
C2

6. (Twice Amended) A method for correlating processing data and [information] image data in a digital imaging system, said method comprising the steps of:

a) [gathering] receiving said [information] image data and said processing data using a capturing device;

B3

b) building a data cell with a manager device, wherein said data cell [containing] contains said processing data, and said processing data includes settings of said capturing device at image capture time;

c) linking said data cell to said [information] image data; and

d) processing said [information] image data using [specified elements] said processing data within said data cell.

SUB
D3

7. (Once amended) The method of Claim 6 further comprising the step e) of deleting a selected portion of said processing data from said data cell after said step d) [of processing said information is finished].

B4

10.
8 (Once amended) The method of Claim ~~6~~ further comprising the steps of:

making a copy of said data cell; and

appending said copy of said data cell to said [information] image data.

¹¹9. (Once amended) The method of Claim ¹⁰8 further comprising the step of rebuilding said data cell after a disruptive event using said copy of said data cell appended to said [information] image data.

B4
Cancel.
SUB
D4

10. (Once amended) The method of Claim 7 further comprising the step of storing said [information] image data into a memory device after said step e) [of deleting said selected processing data from said data cell].

SUB
C3

11. (Twice Amended) A computer-readable medium comprising program instructions for correlating processing data and [information] image data in a digital imaging system, wherein said program instructions, when executed by a computer system coupled to said digital imaging system, cause said digital imaging system to implement [by performing] the steps of:

a) [gathering] receiving said [information] image data and said processing data using a capturing device;

b) building a data cell with a manager device, wherein said data cell [containing] contains said processing data, and said processing data includes settings of said capturing device at image capture time;

c) linking said data cell to said [information] image data; and

d) processing said [information] image data using [specified elements] said processing data within said data cell.

B5

SUB
D6

12. (Once amended) The computer-readable medium of Claim 11 [further comprising] wherein said program instructions, when executed, cause said digital imaging system to implement the step e) of deleting a selected

B6

Concl. SUB D6 }
portion of said processing data from said data cell after said step d) [of processing said information is finished].

16.
13. (Once amended) The computer-readable medium of Claim 13 [further comprising] wherein said program instructions, when executed, cause said digital imaging system to implement the steps of:

making a copy of said data cell; and

appending said copy of said data cell to said [information] image data.

17.
14. (Once amended) The computer-readable medium of Claim 14 [further comprising] wherein said program instructions, when executed, cause said digital imaging system to implement the step of rebuilding said data cell after a disruptive event using said copy of said data cell appended to said [information] image data.

B6 Concl.
SUB D7 }
15. (Once amended) The computer-readable medium of Claim 12 [further comprising] wherein said program instructions, when executed, cause said digital imaging system to implement the step of storing said [information] image data into a memory device after said step e) [of deleting said selected processing data from said data cell].

Please add the following claims as shown below:

B7
37. (New) The digital imaging system of Claim 1 wherein said capturing device is capable of receiving a subsequent set of said image data and a subsequent set of said processing data while said processing device is processing a previous set of said image data using a previous set of said

processing data, said previous sets of data having been received earlier than said subsequent sets of data.

⁶
38. (New) The digital imaging system of Claim 1 wherein said processing of said image data includes compressing said image data.

39. (New) The method of Claim 6 wherein said step d) comprises the step of processing a previous set of said image data using a previous set of said processing data, and said method further comprises the step of receiving a subsequent set of said image data and a subsequent set of said processing data while said step d) is being performed, said previous sets of data having been received earlier than said subsequent sets of data.

B7 SUB DA
40. (New) The method of Claim 6 wherein said step d) comprises the step of compressing said image data.

Concl.
41. (New) The computer-readable medium of Claim 11 wherein said step d) comprises the step of processing a previous set of said image data using a previous set of said processing data, and said program instructions, when executed, also cause said digital imaging system to implement the step of receiving a subsequent set of said image data and a subsequent set of said processing data while said step d) is being performed, said previous sets of data having been received earlier than said subsequent sets of data.

SUB DA
42. (New) The computer-readable medium of Claim 11 wherein said step d) comprises the step of compressing said image data.